SC Labs®

Hemp Quality Assurance Testing
CERTIFICATE OF ANALYSIS

DATE ISSUED 03/02/2026

SAMPLE DETAILS

SAMPLE NAME: 50mg Full Spectrum Tropical Twist

Infused, Solid Edible

CULTIVATOR / MANUFACTURER

Business Name:
License Number:
Address:

DISTRIBUTOR / TESTED FOR

Business Name: cbdMD
License Number:
Address:



SAMPLE DETAIL

Batch Number: 91687
Sample ID: 260223P084

Date Collected: 02/23/2026
Date Received: 02/23/2026
Batch Size:
Sample Size: 1.0 unit
Unit Mass: 3.2 grams per Unit
Serving Size: 3.2 grams per Serving

Scan QR code to verify authenticity of results.

SAFETY ANALYSIS - SUMMARY

Microbiology (PCR): PASS **Microbiology (Plating):** ND

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), µg/g = ppm, µg/kg = ppb, too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

Approved by: Josh Wurzer
Chief Compliance Officer
Date: 03/02/2026

Amendment to Certificate of Analysis 260223P084-001

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22

Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

MICROBIOLOGY TEST RESULTS (PCR) - 02/28/2026 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
Listeria monocytogenes		ND	
Salmonella spp.	*Not Detected in 1g*	ND	PASS
Shiga toxin-producing *Escherichia coli*	*Not Detected in 1g*	ND	PASS

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

MICROBIOLOGY TEST RESULTS (PLATING) - 02/28/2026 **ND**

COMPOUND	RESULT (cfu/g)
Coliforms	ND
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND

NOTES

Reason for Amendment: Order Detail Information Change - Sample Name Sample serving mass provided by client. Sample unit mass provided by client.

© 2026 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22